Xerox® VersaLink® Printers and Multifunction Printers



EVALUATOR GUIDE





Table of Contents

This Evaluator Guide introduces you to the Xerox® VersaLink® Printers and Multifunction Printers and explains their key features and performance advantages.

INTRODUCING XEROX®

3 Overview

INTRODUCING **OUR VERSALINK®** FAMILY OF PRODUCTS

4 Overview

EVALUATING CONNECTKEY® TECHNOLOGY WORKGROUP PRINTERS AND MULTIFUNCTION PRINTERS

- 5 Count On It
- 10 Well Connected
- 12 Make It Yours
- 13 Introducing Xerox® VersaLink® Printers and Multifunction Printers

SPECIFICATIONS, CONFIGURATION SUMMARIES AND OPTIONS

- 14 Xerox® VersaLink® B400 Printer and B405 Multifunction Printer
- 15 Xerox® VersaLink® C400 Colour Printer and C405 Colour Multifunction Printer
- 16 Xerox® VersaLink® C500 Colour Printer and C505 Colour Multifunction Printer
- 17 Xerox® VersaLink® B600 Printer and B605 Multifunction Printer
- 18 Xerox® VersaLink® B610 Printer
- 19 Xerox® VersaLink®B615 Multifunction Printer
- 20 Xerox® VersaLink® C600 Colour Printer
- 21 Xerox® VersaLink®C605 Colour Multifunction Printer
- 22 Xerox® VersaLink® B7025/B7030/B7035 Multifunction Printer
- 23 Xerox® VersaLink® C7000 Colour Printer
- 24 Xerox® VersaLink® C8000 and C9000 Colour Printers
- 25 Xerox® VersaLink® C7020/ C7025/C7030 Colour Multifunction Printer

AWARDS

26 Xerox Awards

Xerox® Connectkey® Technology — the nexus of your complete productivity ecosystem

Today's workplace has evolved beyond the ability of any single machine to fulfil productivity needs of the modern, mobile, always connected workforce. It's time to stop thinking about printers as stand-alone, task-specific workhorses, and start demanding more up-to-date, useful — and usable — solutions.



INTUITIVE USER EXPERIENCE

A familiar way to interact that includes a tablet-like experience with gesturebased touchscreen controls and easy customisation.

MOBILE AND CLOUD READY

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

BENCHMARK SECURITY

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents.

ENABLES NEXT GENERATION SERVICES

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

GATEWAY TO NEW POSSIBILITIES

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at www.connectkey.com.

Xerox[®] VersaLink[®] Family of Products The Perfect Assistant for Every Office

The VersaLink family of products offers a truly compelling value with an affordable total cost of ownership. The innovative functionality built into each product extends its value beyond the printer and multifunction printer (MFP), and maximises your investment by enabling greater freedom to get work done on your terms.







COUNT ON IT

VersaLink devices consistently and flawlessly deliver the performance and reliability that even the most demanding offices rely on to get their work done more efficiently.

VersaLink devices offer complete dependability through both reliability and benchmark security.

- Highly dependable hardware and software reliability
- Hassle-free productivity
- Comprehensive security to safeguard customers' data, delivering the security capabilities every type of business demands
- Inspire confidence it just works every time
- Simplified device instalation and management, without the need for IT support

WELL CONNECTED

Connect to what you want, how you want. Wherever your work takes you, Xerox gives you the freedom and convenience to work when you want, where you want, with the devices you use every day.

In line with the shift toward mobile device reliance, VersaLink devices meet the expectation of the most advanced office technologies.

- Enable mobile workers to leverage the capabilities of printers and MFPs in the manner that works best for them (secure mobile connectivity)
- Extend traditional MFP functionality to mobile platforms with the Xerox[®] Mobile Link App
- Connect users to the services they use today, such as cloud repositories and popular third-party apps (speed up information sharing and streamline multistep workflows)

MAKE IT YOURS

VersaLink devices provide a balance of simplicity and efficiency, presented in a familiar and comfortable interface that makes accomplishing tasks intuitive. It means less time learning and more time doing.

VersaLink product design intent is heavily influenced by ongoing changes in workforce behaviour.

- Highly intuitive user experience strikes a balance between simplicity and efficiency with the ability to personalise and customise for each user
- Range of useful built-in apps with the ability to add more (build your own)
- Blending the expected performance of today's devices with the unique needs of using a printer or MFP

Count On It

Reliable, productive and easy to use. With Xerox® VersaLink® printers and multifunction printers, you'll consistently and flawlessly perform the tasks that make your business work more efficiently.

RELIABLE

With a range of features and functionality you'll use every day, VersaLink devices take reliability and workplace efficiency to a new level of ease and automation right out of the box.

- Xerox® Standard Accounting. Manage, track and report device usage to control print quantities and chargeback options for print, scan, copy and fax. Advanced solutions are available for Network Accounting from Xerox Business Innovation Partners, delivering even more helpful tools, such as ID and proximity card systems for larger office environments.
- Duplex printing. With automatic two-sided printing, multi-page print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.
- Single-Pass Duplex Automatic Document Feeder. With many of our VersaLink multifunction printers, you can get even more reliability and longevity with fewer moving parts on our Single-Pass Duplex Automatic Document Feeder (DADF).
- Auto-Colour Scanning (ACS). This feature allows the device controller to check if the document is colour or black-and-white, and then adjust accordingly.
- Genuine Xerox® supplies. Using genuine Xerox® toner in your VersaLink printer or multifunction printer will ensure that prints are delivered with consistent quality and keep your device running at optimal level and free from damage by inferior third-party supplies. Testing conducted by independent printer evaluation laboratories proved genuine Xerox®

- supplies are more reliable and deliver up to 27% higher page yields than aftermarket alternatives. When non-Xerox® supplies are detected by the device, a warning screen will appear informing the customer that genuine Xerox® supplies were not detected.
- Automated supplies notification and ordering. Customers enrolling or participating in one of the excellent metered or managed print service programmes get the added benefit of Automatic Supplies Replenishment (ASR). With ASR, our VersaLink devices can automatically talk to our ordering systems, giving you a Xerox virtual administrator that continuously watches over your fleet so you don't have to at no extra cost. No need to react when the device tells you that toner is running low. The ASR service will instantly put in an order for the supplies, without human intervention.
- Front of device access. Customer replaceable toner cartridges are especially easy to replace on VersaLink devices. No need to rotate or move the device when performing routine maintenance tasks.
- Users can perform troubleshooting and diagnostics right from their computer, eliminating multiple trips to the printer or multifunction printer. Troubleshooting hints and tips are also provided to the user, right at the device UI, keeping

the device up and running without

additional trips.

• Remote Service Functionality.

• Remote Services Upgrade. Using this feature, administrators can perform firmware upgrades to VersaLink printers and multifunction printers from a central location, rather than travelling to the actual site of the device.

- ENERGY STAR® qualified. VersaLink printers and multifunction printers meet the stringent ENERGY STAR requirements for energy use and the EPEAT® comprehensive environmental rating system.
- Certifications and sustainability. At Xerox, we work to ensure that our devices meet or exceed standards so that Xerox® devices are engineered in an environmentally smart and sustainable way. Learn more by visiting www.xerox.com/environment.
- Energy management. With Cisco EnergyWise®, enabled by Xerox® Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.
- Xerox® Workplace Solutions. Boost productivity and reduce costs with our modular print management and mobility solution. Control and manage your printer fleet while enabling mobile productivity with simplified workflows, convenience and security — for any brand printer, anywhere. Choose between two hosting options, each with its own features and licensing specifics:
 - Xerox® Workplace Suite. On site with your server. This is the ideal choice for those who need productivity for mobile devices and workers, but have additional requirements for data control.
 - Xerox® Workplace Cloud. Simple setup and cloud administration. This is an ideal choice for organisations with limited access to IT support, companies with more than one network or looking to reduce their infrastructure.

PRODUCTIVE

Revolutionise your workflow — and get more done — with time-saving productivity enhancers and new capabilities that work without additional IT investment.

- **Print Around.** Print Around is an automatically enabled feature that eliminates print bottlenecks and directs print job flow. If a job needs resources, (such as mismatched media type, colour or size), other print jobs will go around the held job. This keeps jobs moving when there is an issue with one print job.
- Consistent operation across products. A common look and feel across all VersaLink devices makes it easy and intuitive for users to go from one Xerox® product to another without additional training.
- LAN Fax. Use this feature to send faxes directly from your PC without printing the document or going to your Xerox® multifunction printer. Through the driver for the multifunction printer, you can send a document via fax to other fax machines. This feature requires the instalation of Walk-up Fax.
- Fax Forward to Email. When sending and/or receiving faxes, this feature allows a copy of the fax to be forwarded to an email address; enabling archiving as well as saving paper retrieval and distribution time.
- Print from and Scan to USB.
 Conveniently print your document directly from your USB device or scan your document directly to it, right from the main screen of the user interface.
- Saved Job. Saved Job is the perfect solution for files that need to be printed on a regular basis. These documents are stored on the printer or MFP and can be reprinted on demand from the front panel.
- Digitise your current paper-based workflows. VersaLink multifunction printers can scan documents to create text-searchable PDFs and single and multi-page PDFs for easy archiving, organising and searching. This is made possible with built-in optical character recognition (OCR), a critical component in digitising any paper-based workflow.

- True multi-tasking. With this feature,
 VersaLink multifunction printers can copy,
 print, fax and scan at the same time.
 There is no wasted time for walkup users
 at the device and all jobs are held in the
 same queue.
- Scan and Fax Preview. With VersaLink multifunction printers, users can ensure accuracy by previewing the scanned file before sending it. This feature also allows users to rotate pages, as well as add additional pages to the scan or fax prior to sending.
- Annotation. Annotation allows users to add Page Numbers, Comments, or Dates onto copies. Annotation also supports Bates Stamping, allowing placement of identifying numbers commonly used in the legal and medical fields of copied documents.
- Common Driver Platform. VersaLink printers and multifunction printers include common print drivers, which feature clear graphical user interfaces that provide for easy, intuitive interaction with the device. The drivers provide immediate desktop access to all Xerox® device output functions, as well as bidirectional information, indicating device and job status, currently loaded paper sizes and types, and instaled options, eliminating the need to consult other software for information. Easy-to-understand icons access the most commonly used functions, such as paper selection and document finishing. With the Saved Settings feature, frequently used print job parameters can be stored for reuse.
- Bi-directional Real-time Status.

Bi-directional communication between the printer or multifunction printer and computer provides real-time notification on the status of jobs, paper trays and other supplies. Users stay more productive as there's no need to be in front of the device. Bi-directional communication will also auto-configure the printer driver, providing access to instalable options (additional trays, finishing, etc) — no need for users to manually configure printer drivers.

- Xerox® Global Print Driver®. This truly universal print driver lets IT administrators instal, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
- Concurrent wired and wireless support.

 VersaLink devices support both an

 Ethernet connection and a Wi-Fi®
 connection (via an optional wireless
 network adapter) at the same time.

 VersaLink printers and MFPs can then be
 discovered via Apple® AirPrint® or Mopria®
 Print Service, even when connected to the
 wired network. This also allows you to
 make the printer or MFP available to
 guest users via Wi-Fi Direct®, even when
 your guests are not connected to your
 wireless network.
- Scan to App. This feature provides access to all scan destinations and features in one, easy-to-find location at the touchscreen UI.
- Xerox® ConnectKey® for DocuShare®.

 Scan files directly into Xerox® DocuShare® folders from your VersaLink multifunction printer. This workflow solution automatically converts documents into intelligent, structured data with easy file naming and routing tools.
- Earth smart printing. Our innovative Earth Smart feature in our print drivers allows you to reduce costs while choosing the most environmentally sensitive options for your print jobs.
- Booklet Layout. Booklet Layout automatically scales and reorients pages of a print job to create a booklet. Print jobs can be printed onto different paper sizes, with margins adjusted and page borders added. Additionally, spacing can be adjusted to allow for folding and stapling as well as the reading order of pages within the job.

INSTALATION

With Xerox® VersaLink® devices, you're ready to go — hassle free — right out of the box, even in environments with little-to-no IT support.

- Initial Instal Wizard. Instalation is easy with the initial instal wizard that provides step-by-step instructions and configuration options right from the user interface. This wizard guides users through settings from basic to advanced settings.
- Remote Control Panel. IT administrators and other authorised users can control the device remotely from a web page on any device, enabling faster, more convenient technical support and user training. The Remote Control Panel user experience is identical to performing tasks directly at the device.
- Customer Replaceable Units.

We engineered our VersaLink printers and multifunction printers with a simplified design so you can stay up and running. Easily and quickly replace components, such as the imaging drum or toner cartridge.

- Driver deployment. Print and scan drivers can be deployed centrally, eliminating the need for IT staff to perform desk-to-desk manual instalation of the driver software. In many cases, existing Xerox® drivers on your network can work with your new hardware, potentially saving the step of updating your driver software. Wizards provided within Xerox® CentreWare® Web aid in instaling, troubleshooting and upgrading your driver software, freeing up your IT staff for more pressing projects. The Xerox® Global Print Driver® supports Xerox® and non-Xerox® devices on the network, eliminating the need for other print drivers and saving hours of downtime.
- Configure once, apply fleet wide. VersaLink device configurations can be cloned and distributed to all similar devices on your network, eliminating the need to configure and manage each device individually. Cloning can be completed using several different methods. Users can utilise the Embedded

Web Server or there are a variety of managed print services tools for customers enrolled in a managed service program.

- Embedded Web Server. Allows networked users to connect to their printer or multifunction printer via any standard web browser to instal print drivers, monitor printer status, view the print job queue, manage settings and properties, and access troubleshooting and support resources.
- LDAP Mapping. LDAP servers display different results depending on how they implement mappings. You can complete simple email address searches with LDAP and Scan to Email jobs. Our full integration is the differentiator. Our LDAP Mapping integrates with the address book, User Permissions and Scan to Home. In addition, this feature automatically suggests contacts by searching the device address book and LDAP as characters are entered.
- Xerox® CentreWare Web Software. This free, device management solution for IT makes it easy to instal, configure, manage, monitor and pull reports from networked and multifunction printers throughout an enterprise, regardless of the manufacturer.
- A help desk at your fingertips. Get quick, easy, step-by-step troubleshooting assistance with embedded help videos right on the user interface.
- Xerox® Remote Print Services with **instal wizard.** Customers enrolling or participating in one of our metered or managed print service programmes get the added benefit of Automated Supplies Replenishment (ASR). Save time with our suite of remote services, and let us manage your devices for you. This includes:
 - Xerox® Automated Meter Readings (AMR). Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® device usage. Eliminates the need for timeconsuming end-user involvement and ensures that meter reads are submitted to Xerox on time.

- Xerox® Automatic Supplies Replenishment (ASR). Automatically orders supplies for Xerox® output devices based on actual usage, eliminating the need to manually manage supplies inventory.
- On-demand reset to factory defaults. To ensure the security of your data, VersaLink devices can be fully reset back to a factory state.

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our tiltable, capacitive colour touchscreen — the user interface that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share $\boldsymbol{\alpha}$ common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with our VersaLink printers and multifunction printers get more work done, faster.



View a demo of our VersaLink device touchscreen at www.xerox.com/ VersaLinkUIDemo.

XEROX COMPREHENSIVE SECURITY: PREVENT, DETECT, PROTECT

Xerox long ago recognised and embraced the shift in technology and evolving needs of the workplace. We provide an extensive set of security features to keep your printers and your data safe. Every part of the data chain is secured, including print, copy, scan, fax, file downloads and system software.

Prevent: Safeguarding Against Unauthorised Access

ConnectKey Technology proactively prevents intrusion. The focus of which is controlling access to and safeguarding communication to/from the device by limiting it to only those that are authorised. This is accomplished in a number of ways — whether simple user name and password or more convenient card swipe, ultimately controlling access to prevent malicious use of the device.

All possible access points are secure, from the user interface to ports accessible by walk-up users, PCs and mobile devices to cloud connections.

Detect: Constant Monitoring for Security Threats

ConnectKey Technology detects and alerts any harmful changes to the device. We protect our system firmware and BIOS, constantly monitor and prevent any unauthorised changes and stop unauthorised services from running.

Protect: Keeping Critical Data Assets Secure

Our comprehensive security measures don't stop with preventing unauthorised access to your printer and securing your information from the inside. ConnectKey Technology provides capabilities to prevent intentional or unintentional transmission of critical data to unauthorised parties.

We provide document and data protection of print jobs, scanned documents and stored data with digital signatures, password protection, and encryption. From ensuring documents aren't released until the right user is at the device to preventing scanned information from reaching beyond its intended recipient, ConnectKey Technology keeps your most critical data assets safe and secure.

Xerox also protects all your stored information, using the highest levels of encryption. You can delete any processed or stored data that is no longer required using National Institute of Standards and Technology (NIST), and U.S. Department of Defense approved data clearing and sanitisation algorithms¹.

External Partnerships

No single company can effectively address every security threat, so Xerox partners with the best in the cybersecurity industry. External partnerships with Cisco and measuring our performance against international standards with certifications like Common Criteria and FIPS 140-2 ensure our devices are trusted in even the most secure environments.

A COMPREHENSIVE APPROACH TO SECURITY



Prevent

unauthorised access



Detect

suspicious or malicious behaviour



Protect

data and documents



External Partnerships

¹ Applies to devices with hard disk drives only

VERSALINK SECURITY FEATURES

Xerox® VersaLink® devices include the following features, technologies and solutions to ensure your data and network are kept secure.

- Secure Print with print queue deletion. With this feature, users are required to enter a passcode at the device to release a job or can delete jobs from their queue. That means fewer documents are unnecessarily printed and left at the device.
- Personal and Secure Jobs. Personal and Secure Jobs ensure sensitive or confidential documents do not pose a security risk by sitting in the output tray for anyone to pick up. Users enter a 4-10 digit passcode when submitting their print job, and then simply enter this same passcode at the front panel of the printer or MFP to print their private job that's been held
- Hard Disk and SSD encryption. This feature effectively safeguards your data from unauthorised access while it's being processed, transmitted or stored in the printer or multifunction printer.
- Protect your information. With Immediate Image Overwrite, VersaLink printers and multifunction printers equipped with a hard disk drive (HDD) can automatically erase image data from the device after each job.
- Secure Email with TLS 1.2. Securely scan and send email to third-party mail service providers with Transport Layer Security (TLS). With this security feature, your VersaLink multifunction printer will keep emails safe and free from unauthorised access.
- Simultaneous HTTP/HTTPS with Self-signed Certificates. Support for simultaneous HTTP/HTTPS connections allows HTTP and HTTPS connections, services and functions. Communications that depend on and require HTTPS functionality will also work seamlessly without the need to first enable HTTPS and configure certificates; eliminating complicated manual setup and configuration.

- Stay compliant with regulations. Our VersaLink devices comply with the latest security standards, including the Federal Information Processing Standard (FIPS) 140-2, Department of Defense (DoD) Security standards and undergo the full-system Common Criteria (undergoing evaluation) certification process. Controls are available to match your security needs and conform to any standards across industries, government, finance and healthcare
- Password Protected PDF. Users have the option to encrypt PDF files with a password when using the Scan to Email service on VersaLink multifunction printers. This technology provides protection outside of your firewall, securing data in an unsecure environment using industry-standard protocols such as Secure PDF.
- Role-based permissions. Assign different levels of access to users in environments where Administrator-level security isn't necessary.
- Prevent attacks. VersaLink devices give administrators the ability to set lockout limits for users logging in. For example, if the administrator sets a limit of three attempts and all three fail, that user will be locked out for a set period of time. This prevents automated dictionary-style attacks to gain access.
- Audit Logs. Track access and activity by document, user and function on VersaLink printers and multifunction printers. The Audit Log is disabled by default; it can be enabled and disabled in the Embedded Web Server.
- Common Access Card Support (CAC/PIV). This ensures secure printing using Common Access Card (CAC)/ Personal Identity Verification (PIV) card technologies and attaches the print-job sender's identity certificate to the print job. At the device, the user must authenticate with the user's CAC/PIV c ard before releasing the job.

- USB card-based authentication.
- VersaLink devices can be upgraded with optional solutions to deliver even greater cost control capabilities. They support many USB card-based authentication technologies that enable users to log into the device using a proximity card, student ID or security card, providing a secure method of authentication, tracking usage and billing.
- Authentication, authorisation and accounting (AAA). VersaLink devices support a robust set of features that help you control access, enforce policies, monitor usage and obtain information so you can bill for services.
- Print User ID in the print margin. With this feature, user information is printed in the margin of the first page to quickly help users identify which pages are theirs, as well as eliminating costly and wasteful banner pages.
- Cisco® Identity Services Engine (ISE) Integration. Centrally manage and deploy printer security policies. Our partnership with Cisco provides greater Xerox® print device detection capabilities, resulting in finer-grain security policy enforcement. Xerox® devices are automatically recognised and classified by Cisco ISE, permitting network access control and reduction of overhead by eliminating manual entry of printer attributes. Our profiling of printers with Cisco ISE thwarts spoofing attempts by saboteurs to gain unfettered access to sensitive systems. Xerox® print device integration with Cisco ISE provides an operationally efficient approach to meeting security policy objectives.
- Trusted Platform Module (TPM). The TPM is used to securely hold the product storage encryption key, which protects the device during initial boot. It also provides ongoing encryption of the device's various storage media.

Well Connected

Mobile-ready and cloud-connected. The office of the future is here today. Xerox® VersaLink® printers and multifunction printers enable the advanced connectivity mobile workforces need to collaborate, share and process the documents and information that keep your business running.

MOBILITY

VersaLink devices provide unprecedented mobile access from any device, with multiple connectivity options and no complicated setup.

Standard Mobility Solutions

- Apple® AirPrint®. With AirPrint, you can print emails, photos and important office documents directly from your favorite Apple devices, including iPhone®, iPad® and your Mac®. Additionally, Mac users can scan via AirPrint. With AirPrint, your iPhone, iPad or Mac automatically locates and connects to the AirPrint-enabled device over your Wi-Fi® and/or Ethernet network. For enhanced security and controllable printing, Apple AirPrint offers accounting support as well as IPP attributes, which enables more complicated finishing options and print settings, such as two-sided printing, page range, quantity and colour or black-and-white.
- Mopria® Print Service. This allows
 Android™ device users to easily and
 wirelessly discover and print to Mopriacertified Xerox® and non-Xerox® printers
 or multifunction printers without instaling
 drivers or downloading additional apps or
 software. As a founding member of the
 Mopria Alliance, Xerox continues to shape
 innovation in the mobile printing arena
 and ensures that both our current and
 future technologies are keeping up with
 the ever-evolving mobile landscape.
- Wi-Fi Network Adapter (Wi-Fi Kit). With this optional hardware, you can easily set up and place your VersaLink printer or multifunction printer anywhere you need it without costly additional network reconfiguration and wiring.

- Xerox® Mobile Link App. This free app allows you to scan, email and fax from your Android or iOS-based mobile device to VersaLink multifunction printers and send data to and print data from cloud storage. Downloaded from the Google Play™ Store or Apple App Store, Mobile Link resides on your mobile device. Once instaled, easily create Mobile Link one-touch workflows between a mobile device and a VersaLink Multifunction printer. Use a manual address or allow automatic device discovery to find and pair your mobile device with a nearby Xerox® multifunction printer.
- NFC Tap-to-Pair. With Near Field
 Communications (NFC) Tap-to-Pair, users
 can simply tap their Android device to a
 VersaLink printer or multifunction printer
 to establish a direct connection. Once
 established, printing is handled using a
 wireless connection if the optional
 wireless network adapter has been
 instaled. If the wireless network adapter is
 not instaled, printing is handled via the
 Ethernet network. This feature allows for
 greater security and results in less waste
 as users are in direct proximity to the
 device.¹
- Wi-Fi Direct®. This ensures that you can print to VersaLink printers and multifunction printers from your mobile device without having to connect to a network. Adding the optional wireless network adapter enables this connection and allows for both an Ethernet connection and Wi-Fi Direct connection to be enabled at the same time.



- Xerox® Print Service Plug-in for Android™. This unique, full-featured plug-in for KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. After downloading this free plug-in from the Google Play™ Store, you can easily print photos, Web pages and documents when your mobile device is connected to VersaLink multifunction printers using a wireless network. Robust printing options include colour or black-and-white printing, number of copies, paper orientation, two-sided printing, stapling, Secure Print/Secure Code Release and more.
- TWAIN scanning push and pull.

 This feature further simplifies network

 TWAIN scanning by allowing users to
 pull the scan back to their PC without
 the need for a password.
- ¹ If the Wireless network Adapter is not present, print jobs submitted from an Android device will route via Ethernet only if the customer has configured their network appropriately.

Well Connected (cont'd)

Advanced Mobility Solutions

- Xerox® Workplace Solutions. Xerox® Workplace Solutions make mobile printing simple and seamless, even with complex network configurations. Users won't need IT support to get up and running raising productivity for everyone. Whether you submit your jobs to our single queue from your desktop PC or mobile device, you can review, select job settings, print or delete them from any networked printer.
 - Provides native desktop application printing with Microsoft Windows® OS devices and Google® Chromebooks™, Mac® OS, Linux® and mobile app printing for iOS, Android™ and Windows Surface™ tablet (server queue mode only)
 - With a traditional pull/follow printing workflow, send jobs to a single queue for release and retrieve when ready
 - Stay inside your network or use the cloud

However you work, there's a Workplace Solution for you. Xerox® Workplace Suite keeps everything within your network, while Xerox® Workplace Cloud gives you the flexibility to work across multiple networks an locations.


Learn more by visiting www.xerox.com/mobility.

CLOUD

Reach new heights of mobile productivity with cloud-ready apps that keep your workforce connected from any location.

- Support for Google Cloud Print™ 2.0.

 Xerox® VersaLink printers and multifunction printers are enabled with secure cloud printing, an ideal solution for workers on the go. Securely and directly connect and register with the Google Cloud Print service and your smartphone, tablet, laptop or traditional desktop device will always be available wherever you are. No need to instal and maintain print drivers or additional software.
- Cloud connections. VersaLink printers and multifunction printers provide access to DropBox™, Microsoft® OneDrive® and Google Drive™ online storage services so users can easily print from and scan to the locations they use every day.



Make It Yours

Time-saving apps and a personalised user experience. Be prepared to interact with VersaLink® printers and multifunction printers in a whole new way. Create customised workflows with easy-to-use apps and configure your interface to keep the functions you use most front and center.

APPS

VersaLink multifunction printers come preloaded with mobile-like apps that simplify common tasks and allow for easy customisation. Download additional apps based on your business needs, or engage our partners to build new business-specific apps to reduce complicated workflows to single-touch simplicity.

- Xerox® ConnectKey® Apps and Xerox **App Gallery.** With the touch of a button, you can go to our Xerox App Gallery and download these lightweight, serverless apps to your VersaLink printer or multifunction printer to increase user productivity and shorten everyday tasks. ConnectKey Apps empower you to easily customise your workflow with apps such as @printbyXerox, Xerox® Easy Translator Service and Xerox® Healthcare MFP1.
- Cloud connectors. VersaLink multifunction printers provide easy access to apps that allow you to easily scan your documents and send them to DropBox™, Google Drive[™] or Microsoft[®] OneDrive[®] without tedious setup.
- Xerox Extensible Interface Platform®. Our VersaLink printers and multifunction printers come equipped with an open platform that is customisable to fit your work environment and needs. This key unlocks your ability to simplify everyday tasks that make the MFP easier to use and allows the MFP to run third-party solutions that enable an even more tailored workflow.

• Xerox® Easy Translator Service.

This service allows customers to scan a document and receive a translated print of the document or email notification. Users can also send a digital image from a mobile device or a PC that is forwarded for translation. This is offered for both iOS and Android™ devices. For more information, visit https:// xeroxtranslates.com.

PERSONALISATION

Configure your VersaLink printers and multifunction printers to make the user experience personal by machine, fleet, workgroup or individual.

- Familiar app-style user interface.
- Our VersaLink printers and multifunction printers feature a user interface that behaves much like the mobile devices we're all accustomed to using. To simplify the user interface even further, a highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center.
- Customised UI Support. Customise and simplify each user's experience by moving and hiding icons based on user logins and creating presets for common workflows. Users can access the functions they use most with just one touch.
- 1-Touch Apps. 1-Touch Apps simplify and automate lengthy multi-step workflows by allowing users to save common tasks and their respective job settings as an "app" that appears on the device home screen. Users simply tap their new app to accomplish their task with a single touch.

- Unified Address Book. The unified address book lets you seamlessly import your existing contacts and roll them out to multiple VersaLink multifunction printers.
- Personal Favourites. Personal Favourites allows each user to create and quickly access their favourite contacts from the unified address book. No need to browse through multiple contacts, favourites are front and center!
- Intelligent Search. This feature allows users to type in the first few letters of α contact's name and then the VersaLink device will suggest contacts which meet similar search criteria.
- Jobs service. Easily manage jobs and view their status from the Xerox® Embedded Web Server, print driver or device front panel. Our clear graphical interfaces provide for easy, intuitive interaction with the printer or multifunction printer.
- Application defaults. Adjust settings for specific applications, such as always printing Microsoft® PowerPoint® files 2-up and in black-and-white.
- Maintain control. With User Permissions, you can restrict access to print features by user, group, time of day and application. To limit colour printing, you simply select a rule that makes all Microsoft® Outlook® emails automatically print in black-andwhite and in duplex mode.
- Feature Access Control. This feature allows administrators to control costs by limiting features to certain users and makes it easier for those users to see only the services they use.

¹ Xerox® Healthcare MFP is available in the U.S. only.

Introducing Xerox® VersaLink® Printers and Multifunction Printers







Specifications, Configuration Summaries and Options

XEROX® VERSALINK® B400 PRINTER AND B405 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B400DN	VersaLink B405DN	
Speed ¹	Up to 45 ppm A4		
Duty Cycle ²	Up to 150,000 pages/month ²		
Processor/Memory	1.05 GHz Dual Core/2 GB		
Connectivity		Vi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections	
Controller Features		5), Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® and print driver)	
Paper Handling Paper Input Standard	N/A	Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 140 x 140 mm to 216 x 356 mm	
	Bypass Tray: Up to 150 sheets; Custom sizes: 76 x 127 mm to 216 x 356	5 mm	
	Tray 1: Up to 550 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm		
Optional	3 Additional Trays: Up to 550 sheets each; Custom sizes: 140 x 210 mr	m to 216 x 356 mm	
Total Capacity (std./max.)	700 sheets/2,350 sheets		
Paper Output	250 sheets		
Automatic Two-sided Output	Standard		
Print and Copy Resolution	Print: Up to 1200 x 1200 dpi (enhanced)	Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi	
First-page-out Time (as fast as)	Print: As fast as 8 seconds	Print: As fast as 8 seconds Copy: As fast as 6 seconds	
Page Description Languages	PCL®5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™		
INTUITIVE USER EXPE	RIENCE		
Customise and Personalise	Walkup customisation, Personalise Home Screen by User, Multiple Hom Function or Workflow with Xerox App Gallery	e Screens with Simple ID, Customise by Site,	
Print Drivers	Job Identification, Bidirectional Status, Job Monitoring and Xerox® Glob	oal Print Driver®	
Remote Console	Remote Control Panel		
Xerox® Embedded Web	PC or mobile – Status Information, Responsive Design, Settings, Device	Management, Cloning	
Server			
Preview	N/A	Preview of Scan/Fax with Zoom, Rotate, Add Page	
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Xerox® Earth Sr and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job N Skip Blank Pages, Draft Mode		
Scan	N/A	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF, Password Protected PDF, Secure Scanning via SFTP	
Fax ³		Fax features: Walk-up Fax (includes LAN Fax,	
		Direct Fax, Fax Forward to Email, Server Fax)	
MOBILE AND CLOUD R			
Mobile Printing	Apple® AirPrint®4, Google Cloud Print™ Ready, Xerox® Print Service and N		
Mobility Options	Xerox® Mobile Print and Xerox® Mobile Print Cloud App, Connect via NF Visit www.xerox.com/OfficeMobileApps for available apps.		
Cloud Connectors ⁵	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Mi	icrosoft Office 365®, Box®, Xerox® DocuShare® Platform and more	
BENCHMARK SECURITY			
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/Services Engine (ISE) integration	TLS, Security Certificates, Pre-instaled Self-signed Certificates, Cisco® Identity	
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Read		
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submissio Common Criteria Certification (ISO 15408), Encrypted Apps with Embe		
Document Security	Secure Print, Secure Fax (B405), Secure Email (B405), Password Protecte	* *	
ENABLES NEXT GENER	ATION SERVICES		
Print Management	Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite PrintManagement .	e, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/	
Managing Print	Xerox® Device Manager, Xerox® Support Assistant App, Auto Metre Rea	d, Managed Print Services tools, Configuration Cloning	
Sustainability	Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified Print User ID on margins		
GATEWAY TO NEW POS	1 37 3		
Cloud Services	Xerox® Easy Translator (B405), CapturePoint™ (B405), many additiona	al services available	
Xerox App Gallery		lery for a growing selection of Xerox® apps available for adding functions	

Declared print speed in accordance with ISO/IEC 24734, Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Requires analog phone line; Visit www.apple.com for AirPrint Certification list; Detional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; Scan to available for B405

Certifications

To view the latest list of certifications, go to

www.xerox.com/OfficeCertifications

Supplies

Standard Capacity Toner Cartridge:

106R03580 5,900 pages⁷ High Capacity Toner Cartridge: 13,900 pages⁷ 106R03582

Extra High Capacity Toner Cartridge:

24,600 pages 106R03584 Drum Cartridge: 65,000 pages8 101R00554

Options

550-sheet Feeder (B400) 497K13620 550-sheet Feeder (B405) 497K13630 097S04913 Productivity Kit with 16 GB Solid State Drive 497K13660 Wireless Network Adapter (Wi-Fi Kit) 497K16750

Warranty

One year on site warranty9

⁷Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.

Products purchased under a PagePack / eClick agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs.

DEVICE SPECIFICATIONS	VersaLink C400/N	VersaLink C400/DN	VersaLink C405/N	VersaLink C405/DN	
peed1	35 ppm colour and black and w	hite		·	
Outy Cycle ²	Up to 85,000 pages/month ²				
rocessor/Memory	1.05 GHz Dual-Core/2 GB				
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connection				
	supported), NFC Tap-to-Pair				
Controller Features		onfiguration Cloning, Scan Preview (C4 ne Support (accessed from the user int		atform®, Xerox App Gallery App, Xerox®	
Paper Handling Paper Input Standard	Single-pass Duplex Automatic Document Feeder (DAD Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to				
	Bypass Tray: 150 sheets; Custo	m sizes: 76 x 127 mm to 216 x 356 m	n		
	Tray 1: 550 sheets; Custom size	s: 148 x 210 mm to 216 x 356 mm			
Optional	Tray 2: 550 sheets; Custom size	s: 148 x 210 mm to 216 x 356 mm			
aper Output	250 sheets				
automatic Two-sided Printing	N/A	Standard	N/A	Standard	
rint and Copy Resolution	Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 c	dpi; Copy: Up to 600 x 600 dpi	
irst-print-out Time	As fast as 13 seconds colour/12	seconds black and white			
irst-copy-out Time	As fast as 11 seconds colour/8 s	econds black and white			
age Description Languages	PCL®5e/PCL 6/PDF/XPS/TIFF/JP	EG/HP-GL/Adobe® PostScript® 3™			
NTUITIVE USER EXPE	RIENCE	·			
Customise and Personalise	Walkup customisation, Persona Workflow with Xerox App Galler	lise Home Screen by User, Multiple Ho v	me Screens with Simple ID, Custor	mise by Site, Function or	
Print Drivers	Job Identification, Bi-direction	al Status, Job Monitoring and Xerox®	Global Print Driver®		
Gerox® Embedded Web Gerver	PC or mobile – Status Informati	on, Responsive Design, Settings, Devi	e Management, Cloning		
Remote Console	Remote Control Panel				
review	N/A		Preview of Scan/Fax with Zo	nom Rotate Add Page	
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode				
Scan and Fax ³	N/A Scan to USB/Email/Network (FTP/SMB), Scan File Formats: XPS, JPEG, TIFF; Convenience Features: Scan to Home, Sear Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, F Walk-up Fax includes LAN Fax, Direct Fax, Fax Forward to E Unified Address Book, Optical Character Recognition (OCR)			ce Features: Scan to Home, Searchable PDF /TIFF/Password Protected PDF, Fax Feature Fax, Direct Fax, Fax Forward to Email),	
MOBILE AND CLOUD R					
Mobile Printing	Apple [®] AirPrint ^{®4} , Google Cloud Xerox [®] Print Services plug-in for	Print™ Ready, Mopria® Certified, Mop Android™	ria® Print Service Plug-in for Andro	oid™, Xerox® @printbyXerox App,	
Mobility Options	Xerox® Mobile Print and Mobile Visit www.xerox.com/OfficeM	Print Cloud, Connect via NFC/Wi-Fi DobileApps for available apps.	irect Printing, Xerox® Mobile Link A	лрр (С405) ⁷ .	
Cloud Connectors ⁵	Print from/Scan to ⁶ Google Driv	e™, Microsoft® OneDrive®, Dropbox™,	Microsoft Office 365®, Box®, Xerox	® DocuShare® Platform and more	
BENCHMARK SECURIT	Y				
Network Security	IPsec, HTTPS, encrypted email. Cisco® Identity Services Engine	Network Authentication, SNMPv3, SS (ISE) integration	L/TLS, Security Certificates, Pre-ins	staled Self-signed Certificates,	
Device Access		ess and internal firewall, Port/IP/Domo NET), Xerox® Integrated Card Reader			
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (C405), Encrypted Apps with Embedded Certificate Support				
Document Security		Secure Email (C405), Password Protec			
NABLES NEXT GENER					
rint Management	Xerox® Standard Accounting; Optional : Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement.				
Managing Print			Read, Managed Print Services too	ols, Configuration Clonina	
Sustainability	Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter Read, Managed Print Services tools, Configuration Cloning Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID on margins				
SATEWAY TO NEW POS			/// 9/// 2		
Cloud Services		, many additional services available			
Kerox App Gallery	Many apps and cloud services available. Visit www.xerox.com/AppGallery for a growing selection of Xerox® apps available for adding				
1.1	functions to the Printer/MFP.			.,	

¹ Declared print speed in accordance with ISO/IEC 24734. ² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ³ Available for C405 only; fax requires analog phone line; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; ⁶ Scan to available for C405. ⁷ Free download from Google Play or Apple Store

Certifications		Standard Capacity Print Cartridges:		Options	
To view the latest list of certifications, go to		Black: 2,500 std. pages ⁸	106R03500	550-sheet Feeder	097S04400
www.xerox.com/OfficeCertifications		Cyan: 2,500 std. pages ⁸	106R03502	Productivity Kit with 320 GB HDD	097S04914
Supplies		Magenta: 2,500 std. pages ⁸	106R03503	Stand	497K13660
Extra High Capacity Print Cartridges:		Yellow: 2,500 std. pages ⁸	106R03501	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Black: 10,500 std. pages ⁸ Cyan: 8,000 std. pages ⁸ Magenta: 8,000 std. pages ⁸ Yellow: 8,000 std. pages ⁸ High Capacity Print Cartridges: Black: 5,000 std. pages ⁸ Cyan: 4,800 std. pages ⁸ Magenta: 4,800 std. pages ⁸ Yellow: 4,800 std. pages ⁸ Yellow: 4,800 std. pages ⁸	106R03528 106R03530 106R03531 106R03529 106R03516 106R03518 106R03519 106R03517	Routine Maintenance Items: Imaging Unit (includes 4 imaging units): 60,000 std. pages each ⁹ Waste Cartridge: 30,000 std. pages ⁹ Warranty One year on site warranty ¹⁰	108R01121 108R01124	8 Average standard pages. Declared Yield in acco ISO/IEC 19798. Yield will vary based on image, and print mode. 9 Approximate pages. Declared yield will vary deron job run length and media size/orientation of machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PD 10 Products purchased under a PagePack/eClick og carry a warranty. Please refer to your service ag details of your enhanced service package.	area coverage pending and OF. greement do not

DEVICE SPECIFICATIONS	VersaLink C500/N	VersaLink C500/DN	VersaLink C505/S	VersaLink C505/X
Speed ¹	Up to 43 ppm A4			
Duty Cycle ²	Up to 120,000 pages/month			
Processor/Memory/Hard Drive	1.05 GHz/2 GB/ optional 320 GB HDD		1.05 GHz/4 GB/ optional 320 GB HDD	1.05 GHz/4 GB/ standard 320 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High supported), NFC Tap-to-Pair	n-speed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (cond	current wired and wireless connections
Controller Features	Unified Address Book (Versalink C5 Xerox® App Gallery App, Xerox® Sto		eview (Versalink C505), Xerox Extensible	Interface Platform®,
Paper Handling Paper Input Standard	N/A	<u> </u>	Single-Pass Duplex Automatic D Custom sizes: 140 x 140 mm to 21	Oocument Feeder (DADF): 100 sheets 6 x 356 mm
	Bypass Tray: Up to 150 sheets; Cu Tray 1: Up to 550 sheets; Custom s	stom sizes: 76 x 127 mm to 216 x 35 izes: 76 x 190 mm to 216 x 356 mm		
Optional	Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00			
Paper Output Standard	500 sheets		400 sheets	
Automatic Two-sided Output	N/A	Standard		
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi		Print: Up to 1200 x 2400 dpi; Cop	y: Up to 600 x 600 dpi
First-page-out Time (as fast as)	Print: As fast as 10 seconds colour	8.5 seconds black-and-white	Print: As fast as 9 seconds colour/ Copy: As fast as 7 seconds colour/	
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG	/HP-GL/Adobe® PostScript® 3™		
INTUITIVE USER EXPE	RIENCE			
Customise and Personalise	Walkup customisation, Personalise Workflow with Xerox App Gallery	Home Screen by User, Multiple Hor	me Screens with Xerox® Simple ID, Custo	mize by Site, Function or
Print Drivers	Job Identification, Bidirectional Sto	itus, Job Monitoring and Xerox® Glo	obal Print Driver®	
Xerox® Embedded Web Server	PC or mobile – Status Information,	Responsive Design, Settings, Device	e Management, Cloning	
Remote Console	Remote Control Panel			
Preview	N/A		Preview of Scan with Zoom, Rotate, Add Page	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features			rth Smart Driver Settings, Job Identificat g, Job Monitoring, Application Defaults,	
Scan	N/A			CR), Scan to USB/Email/Network F, PDF/A, XPS, JPEG, TIFF; Convenienc ble PDF, Single/Multi-Page PDF/XPS/
Fax ³	N/A		Fax Features (Versalink C505/X or Direct Fax, Fax Forward to Email, S	nly): Walk-up Fax (includes LAN Fax, Server Fax)
MOBILE AND CLOUD R	EADY		·	
Mobile Printing	Apple® AirPrint®4, Google Cloud Pri Xerox® Print Services plug-in for An		ia® Print Service Plug-in for Android™, Xe	rox® @printbyXerox App,
Mobility Options	Xerox® Mobile Print Solution and X Visit www.xerox.com/OfficeMobi		ect via NFC/Wi-Fi Direct Printing, Xerox®	Mobile Link App (C505) ⁷ .
Cloud Connectors ⁵	Print from/Scan to ⁶ Google Drive™,	Microsoft® OneDrive®, Dropbox™, N	Microsoft Office 365®, Box®, Xerox® Docu	Share® Platform and more
BENCHMARK SECURITY	(
Network Security	IPsec, HTTPS, encrypted email. Ne Cisco® Identity Services Engine (IS		/TLS, Security Certificates, Pre-instaled S	Self-signed Certificates,
Device Access		and internal firewall, Port/IP/Doma RFID Card Reader, Trusted Platforr	in Filtering, Audit Log, Access Controls, U n Module (TPM)	Iser Permissions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (C505), Encrypted Apps with Embedded Certificate Support			
Document Security	Secure Print, Secure Fax (C505/X),	Secure Email (C505), Password Prot	ected PDF (C505)	
ENABLES NEXT GENER	ATION SERVICES			
Print Management	Xerox® Standard Accounting; Option at www.xerox.com/PrintManage		e, Nuance Equitrac, Ysoft SafeQ, PaperCı	ut and more
Managing Print	Xerox® Device Manager, Xerox® Su	pport Assistant App, Auto Meter Re	ad, Managed Print Services tools, Config	juration Cloning
Sustainability	Cisco EnergyWise®, Earth Smart Pri	nting, EPEAT-verified, Print User ID	on margins	
GATEWAY TO NEW POS	SIBILITIES	·		
Cloud Services	Xerox® Easy Translator (C505) ⁵ , ma	ny additional services available		
10 1 1 1 1	11 TCO/TEC 2/72/ 214 1			1 . 35

Declared print speed in accordance with ISO/IEC 24734. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Requires analogue phone line;

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridges: Black: 5,000 pages ⁸ Cyan: 2,400 pages ⁸ Magenta: 2,400 pages ⁸	106R03862 106R03859 106R03860 106R03861	Extra High Capacity Toner Cartridges: Cyan: 9,000 pages ⁸ Magenta: 9,000 pages ⁸ Yellow: 9,000 pages ⁸ Cyan Drum Cartridge: 40,000 pages ⁹ Magenta Drum Cartridge: 40,000 pages ⁹ Yellow Drum Cartridge: 40,000 pages ⁹ Black Drum Cartridge: 40,000 pages ⁹ Waste Cartridge: 30,000 pages ⁹	106R03873 106R03874 106R03875 108R01481 108R01482 108R01483 108R01484 108R01416	Pr W W O 8 A I
Yellow: 2,400 pages ⁸ High Capacity Toner Cartridges: Black: 12,100 pages ⁸ Cyan: 5,200 pages ⁸ Magenta: 5,200 pages ⁸ Yellow: 5,200 pages ⁸	106R03876 106R03870 106R03871 106R03872	Options 550-sheet Feeder 2,000-sheet High Capacity Feeder (includes Stand/Caster Base) Stand (includes Caster Base)	097S04949 097S04948 097S04994	9 / j F L 10

Caster Base Productivity Kit with 320 GB HDD 097S04954 497K18360 Vireless Network Adapter (Wi-Fi Kit) 497K16750

/arranty

ne year on site warranty¹⁰

Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/ latest/SUPGL-01.PDF.

Products purchased under a PagePack / eClick agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery ⁶ Scan to available for C505.
⁷ Free download from Google Play or Apple Store

XEROX® VERSALINK® B600 PRINTER AND B605 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B600 Printer DN	VersaLink B605 Multifunction Printer S, X, XL		
peed1	Up to 55 ppm			
Outy Cycle ²	Up to 300,000 pages/month ²			
Processor/Memory/Hard Drive	1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD		
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n ar supported), NFC Tap-to-Pair	Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connectio b-Pair		
Controller Features	Unified Address Book (B605), Configuration Cloning, Scan Preview (E Xerox® Standard Accounting Tool, Online Support	3605), Xerox Extensible Interface Platform®, Xerox® App Gallery App,		
Paper Handling Paper Input Standard	N/A	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 140 x 140 mm to 216 x 356 mm		
	Bypass Tray: Up to 150 sheets; Custom sizes: 76 x 127 mm to 216 x Tray 1: Up to 550 sheets; Custom sizes: 76 x 190 mm to 216 x 356 m			
Optional	Up to 4 Additional Trays: Up to 550 sheets each; Custom sizes: 76	x 190 mm to 216 x 356 mm		
	High Capacity Feeder: Up to 2,000 sheets; Standard size: A4	High Capacity Feeder: Up to 2,000 sheets; Standard size: A4		
Paper Output Standard	500 sheets	400 sheets		
Optional	Finisher: 500-sheet tray, 50-sheet stapling Mailbox: Four 100-sheet bins	Finisher (Not available on S, X): 500-sheet tray, 50-sheet stapling Mailbox (Not available on S, X): Four 100-sheet bins		
Automatic Two-sided Output	Standard			
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi		
First-page-out Time	Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen		
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™			
INTUITIVE USER EXP	ERIENCE			
Customise and Personalise	Walkup customisation, Personalise Home Screen by User, Multiple H Xerox®App Gallery Apps	ome Screens with Simple ID, Customise by Site, Function or Workflow with		
Print Drivers	Job Identification, Bidirectional Status, Job Monitoring, and Xerox® (Global Print Driver®		
Xerox® Embedded Web Server	PC or mobile – Status Information, Responsive Design, Settings, Dev	ice Management, Cloning		
Remote Console	Remote Control Panel			
Preview	N/A	Preview of Scan/Fax with Zoom, Rotate, Add Page		
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode			
Scan	N/A	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Secure Scanning via SFTP		
Fax ³	N/A	Fax Features (B605/X, XL only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)		
MOBILE AND CLOUD F	EADY			
Mobile Printing	Apple® AirPrint®", Google Cloud Print™ Ready, Mopria® Certified, Mo Xerox® Print Services plug-in for Android™	opria® Print Service Plug-in for Android™, Xerox® @printbyXerox App,		
Mobility Options	Xerox® Mobile Print Solution and Mobile Print Cloud, Connect via NF Visit www.xerox.com/OfficeMobileApps for available apps.	C/Wi-Fi Direct Printing, Xerox® Mobile Link App (B605).		
Cloud Connectors ⁵		, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more		
BENCHMARK SECURIT				
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, S			
Device Access	(CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platfo			
Data Protection	Common Critéria Certification (ISO 15408) (undergoing evaluation)			
Document Security	Secure Print, Secure Fax (B605), Secure Scan (B605), Secure Email (B	605), Password Protected PDF (B605)		
ENABLES NEXT GENER Print Management	Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Su	ite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more		
M	at xerox.com/PrintManagement.	Out I Married British trade to Conference Conference		
Managing Print	Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter F			
Sustainability	Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User I	บ งก กาดาฐเกร		
GATEWAY TO NEW PO Cloud Services				
Xerox App Gallery	Xerox® Easy Translator (B605), many additional services available	Gallery for a growing selection of Xerox® apps available for adding functions.		
		other y for a growing selection of Xerox apps available for adding functions. onth. Not expected to be sustained on a regular basis; ³ Requires analog phone line;		

Declared print speed in accordance with ISO/IEC 24734.2 Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; 3 Requires analog phone line;

Certifications To view the latest list of certifications, go to

www.xerox.com/OfficeCertifications. **Supplies** Standard Capacity Toner Cartridge: Black: 10,300 pages⁷ 106R03940 High Capacity Toner Cartridge: Black: 25,900 pages⁷ 106R03942

Extra High Capacity Toner Cartridge: Black: 46,700 pages

Drum Cartridge: 60,000 pages⁸

Options

097S04949 1x550-sheet Tray 2,000-sheet High Capacity Feeder 097S04948 Stand (includes Caster Base) 097S04994 Caster Base Finisher (500 sheets, 50-sheet stapler) 097504954 097504952 4-Bin Mailbox (100 sheets per bin) 097S04953 Wireless Connectivity Kit 497K16750 B600 Productivity Kit (included with B605) 497K18360

Warranty

106R03944

101R00582

One year on site warranty9

⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

 $^{\rm 8}$ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed.

⁹ Products purchased under a PagePack/eClick agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

Configurations vary by geography.

^{*}Visit www.apple.com for AirPrint Certification list; 5 Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; 6 Scan to available for B605.

XEROX® VERSALINK® B610 PRINTER AND B615 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIO	NS VersaLink B610 Printer DN	VersαLink B615 Multifunction Printer X, XL	
Speed ¹	Up to 65 ppm letter/Up to 63 ppm A4		
Duty Cycle ²	Up to 275,000 pages/month		
Processor/Memory/ Hard Disk Drive	1.05 GHz ARM Dual Core/2 GB/Optional 320 GB HDD	1.05 GHz ARM Dual Core/2 GB/320 GB HDD	
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connecti supported), NFC Tap-to-Pair		
Controller Features	Unified Address Book (B615), Configuration Cloning, Scan Pre Xerox® Standard Accounting Tool, Online Support (accessed	eview (B615), Xerox Extensible Interface Platform®, Xerox® App Gallery App, from the user interface and print driver)	
Paper Handling		Single-Pass Duplex Automatic Document Feeder (DADF): 100	
Paper Input Stand	lard N/A	sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm	
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14	x 14 in./76 x 127 mm to 216 x 356 mm	
Optio			
'	High Capacity Feeder: Up to 2,000 sheets; Standard sizes: 8		
Paper Output Stand	· · · · · · · · · · · · · · · · · · ·	400 sheets without finishing options; 500 sheets with finishing options	
Optio		100 steed materials my opening, 500 steeds materials my openin	
Automatic Two-sided Outr	out Standard		
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi	
First-page-out Time	Print: As fast as 7.1 seconds	Print: As fast as 6.6 seconds; Copy: As fast as 5.4 seconds from the Plate	
Page Description Language			
INTUITIVE USER E			
Customise and Personalise	Walkup customisation, Personalise Home Screen by User, Mu App Gallery	ultiple Home Screens with Simple ID, Customise by Site, Function or Workflow with Xerox	
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring and >	Xerox® Global Print Driver®	
Embedded Web Server	PC or mobile – Status Information, Responsive Design, Settir		
Preview	N/A	Preview of Scan/Fax with Zoom, Rotate, Add Page	
Remote Console	Remote Control Panel		
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Save	ed Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and , Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages,	
Scan	N/A	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Secure Scanning via SFTF	
Fax ³	N/A	Fax Features: Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax)	
MOBILE AND CLOU	DREADY	·	
Mobile Printing	Apple® AirPrint®4, Google Cloud Print™ Ready, Mopria® Certif Services plug-in for Android™	fied, Mopria® Print Service Plug-in for Android™, Xerox® @printbyXerox App, Xerox® Print	
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud, Connect via NFC Visit www.xerox.com/OfficeMobileApps for available apps		
Cloud Connectors ³	Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dro	opbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more	
BENCHMARK SECUE	RITY		
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNI Services Engine (ISE) integration	MPv3, SSL/TLS, Security Certificates, Pre-instaled Self-signed Certificates, Cisco® Identity	
Device Access	Firmware Verification, User access and internal firewall, Port/I (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Truster	IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled d Platform Module (TPM)	
Data Protection		S submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite,	
Document Security	Secure Print, Secure Fax (B615), Secure Email (B615), Passwork RERATION SERVICES	rd Protected PDF (B615)	
Print Management		oud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at	
Managing Print		Meter Read, Managed Print Services tools, Configuration Cloning	
Sustainability	Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print		
GATEWAY TO NEW	1 33 -		
Cloud Services	Xerox® Easy Translator (B615), many additional services avai	lable	
Xerox App Gallery		m/appgallery for a growing selection of Xerox® apps available for adding functions.	
10 1 1 1 1 1 1	The state of the s	the state of the s	

Declared print speed in accordance with ISO/IEC 24734. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Requires analog phone line; Visit www.apple.com for AirPrint Certification list. Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery.

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

18

06R03940
06R03942
06R03944
01R00582
(

Options

Warranty

One year on site warranty8

•	
550-sheet Feeder	097504949
2,000-sheet High Capacity Feeder	
(includes Stand/Caster Base)	097S04948
Stand (includes Caster Base)	097S04994
Caster Base	097S04954
Finisher (500 sheets, 50-sheet stapler)	097S04952
4-Bin Mailbox (100 sheets per bin)	097S04953
Wireless Network Adapter (Wi-Fi Kit)	497K16750
Productivity Kit with 320 GB HDD	497K18360

 $^{^{\}rm 6}$ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkB610Specs or www.xerox.com/VersaLinkB615Specs.

⁷ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.

⁸ Products purchased under a PagePack/eClick agreement do not carry a warranty. Please refer to your service agreementfor full details of your enhanced service package.

DEVICE SPECIFICATIONS	VersaLink C600 Colour Printer N, DN	VersaLink C605 Colour Multifunction Printer X, XL	
Speed ¹	Up to 53 ppm		
Duty Cycle ²	Up to 120,000 pages/month ²		
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HDD	1.05 GHz/4 GB/standard 250 GB HDD	
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and supported), NFC Tap-to-Pair	Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections	
Controller Features	Unified Address Book (C605), Configuration Cloning, Scan Preview (C6 Xerox® Standard Accounting Tool, Online Support	505), Xerox Extensible Interface Platform®, Xerox® App Gallery App,	
Paper Handling Paper Input Standard	N/A	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 140 x 203 mm to 216 x 356 mm	
	Bypass Tray: Up to 150 sheets; Custom sizes: 76 x 127 mm to 216 x 35 Tray 1: Up to 550 sheets; Custom sizes: 76 x 190 mm to 216 x 356 mm	56 mm	
Optional	Up to 4 Additional Trays: Up to 550 sheets; Custom sizes: 76 x 190 m		
ориона	High Capacity Feeder: Up to 2,000 sheets; 216 x 356 mm to 210 x 29		
Paper Output Standard	500 sheets	C605: 400 sheets	
Optional	Finisher (Not available with C605/X): 500-sheet tray, 50-sheet staplir Mailbox (Not available with C605/X): Four 100-sheet bins		
Automatic Two-sided Output	Standard (not available on N configuration)		
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 600 dpi	
First-page-out Time (as fast as)	Print: As fast as 8 seconds colour and black-and-white	Print: As fast as 10 seconds colour and black-and-white Copy: As fast as 7 seconds colour/5 seconds black-and-white	
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™		
INTUITIVE USER EXPI	RIENCE		
Customise and Personalise	Walkup customisation, Personalise Home Screen by User, Multiple Ho App Gallery	me Screens with Simple ID, Customise by Site, Function or Workflow with Xerox	
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring and Xerox® Glo	obal Print Driver®	
Kerox® Embedded Web Server	PC or mobile – Status Information, Responsive Design, Settings, Device	re Management, Cloning	
Preview	N/A	Preview of Scan/Fax with Zoom, Rotate, Add Page	
Remote Console	Remote Control Panel	· · · · · · · · · · · · · · · · · · ·	
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xe and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Pages, Draft Mode	rox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank	
Scan	N/A	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/ Password Protected PDF, Secure Scanning via SFTP	
Fax ³	N/A	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax	
MOBILE AND CLOUD R	EADY		
Mobile Printing	Apple® AirPrint® ⁴ , Google Cloud Print™ Ready, Mopria® Certified, Mopri Services plug-in for Android™	ia® Print Service Plug-in for Android™, Xerox® @printbyXerox App, Xerox® Print	
Mobility Options	Xerox® Mobile Print Solution and Mobile Print Cloud ⁵ , Connect via NFO Visit www.xerox.com/OfficeMobileApps for available apps	C/Wi-Fi Direct Printing, Xerox® Mobile Link App (C605).	
Cloud Connectors ⁵	Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, N	Nicrosoft Office 365®, Box®, Xerox® DocuShare® Platform and more	
BENCHMARK SECURIT	Υ		
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL Cisco® Identity Services Engine (ISE) integration	L/TLS, Security Certificates, Pre-instaled Self-signed Certificates,	
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domai (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platforn	n Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled n Module (TPM)	
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation)		
Document Security	Secure Print, Secure Fax (C605), Secure Scan (C605), Secure Email (C6	05), Password Protected PDF (C605)	
ENABLES NEXT GENER			
Print Management		uance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement	
Managing Print	Xerox® Device Manager, Xerox® Support Assistanct App, Auto Meter Re	ead, Managed Print Services tools, Configuration Cloning	
Sustainability	Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID	on margins	
GATEWAY TO NEW PO	SSIBILITIES		
Cloud Services	Xerox® Easy Translator (C605)5, many additional services available		
Xerox App Gallery		allery for a growing selection of Xerox® apps available for adding functions	
¹ Declared print speed in accordan	ce with ISO/IEC 24734 2Maximum volume capacity expected in any one month	n. Not expected to be sustained on a regular basis; ³ Requires analog phone line; ⁴ Visit	

¹Declared print speed in accordance with ISO/IEC 24734. ²Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ³ Requires analog phone line; ⁴ Visit www.apple.com for AirPrint Certification list. ⁵ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies and Options Standard Capacity Toner Cartridges: Black: 6,000 pages ⁶	106R03899	C600: Magenta: 16,800 pages ⁶ C600: Yellow: 16,800 pages ⁶ C605: Black: 16,900 pages ⁶ C605: Cyan: 16,800 pages ⁶ C605: Magenta: 16,800 pages ⁶ C605: Yellow: 16,800 pages ⁶	106R03921 106R03922 106R03935 106R03932 106R03933 106R03934	Caster Base Wireless Connectivity Kit Productivity Kit Warranty One year on site warranty ⁸	097S04954 497K16750 497K18360
Magenta: 6,000 pages ⁶ Magenta: 6,000 pages ⁶ Yellow: 6,000 pages ⁶ High Capacity Toner Cartridges: Black: 12,200 pages ⁶ Cyan: 10,100 pages ⁶ Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶	106R03896 106R03897 106R03898 106R03907 106R03904 106R03905 106R03906	Cyan Drum Cartridge: 50,000 pages? Magenta Drum Cartridge: 50,000 pages? Yellow Drum Cartridge: 50,000 pages? Black Drum Cartridge: 50,000 pages? Waste Cartridge: 30,000 pages? Options 1x550-sheet Tray 2,000-sheet High Capacity Feeder (includes Caster Base)	108R01485 108R01486 108R01487 108R01488 108R01416 097S04949	⁶ Average standard pages. Declared Yield in acco IEC 19798. Yield will vary based on image, area mode. ⁷ Approximate pages. Declared yield will vary run length, media size/orientation and mach more information, visit www.office.xerox.cc SUPGL-01.PDF ⁸ Products purchased under a PagePack / eClick carry a warranty. Please refer to your service a	coverage and print depending on job nine speed. For om/latest/ agreement do not
Extra High Capacity Toner Cartridges: C600: Black: 16,900 pages ⁶ C600: Cyan: 16,800 pages ⁶	106R03923 106R03920	Stand(includes Caster Base) Finisher (500 sheets, 50-sheet stapler) 4-Bin Mailbox (100 sheets per bin)	097S04994 097S04952 097S04953	details of your enhanced service package. Configurations vary by geography.	

XEROX® VERSALINK® B7025/B7030/B7035 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B7025	VersaLink B7030	VersaLink B7035	
Speed ¹	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm	
Monthly Duty Cycle ²	Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages	
Hard Drive/Processor/Memory	320 GB HDD ² /1.05 GHz Dual-core/2 GB		The second by Dec	
Connectivity		red USB 3.0, Wi-Fi® and Wi-Fi Direct® with opti	onal Wi-Fi Kit	
Controller Features	Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support			
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to			
First-copy-out Time (as fast as)	As fast as 6.8 seconds	As fast as 5.4 seconds	As fast as 5.4 seconds	
First-print-out Time	As fast as 10.4 seconds	As fast as 9.1 seconds	As fast as 9.1 seconds	
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-	·		
Print Features			r Settings, Job Identification, Booklet Creation, g, Application Defaults, Two-sided Printing (as default),	
Paper Input Standard	Custom sizes (simplex): 125 x 85 mm to	297 x 431.8 mm	Custom sizes (duplex): 125 x 110 mm to 297 x 431.8 mm;	
	Bypass Tray: 100 sheets; Custom sizes:			
	Tray 1: 520 sheets; Custom sizes: 139.7			
Choose One	Single Tray with Stand: 520 sheets; Ct Three Tray Module (1,560 sheets): 520 High-Capacity Tandem Tray (2,520 sh Tray 3: 870 sheets; Standard sizes: A4 or	m sizes: 139.7 x 182 mm to 297 x 431.8 mm ustom sizes: 139.7 x 182 mm to 297 x 431.8 mm o sheets each; Custom sizes: 139.7 x 182 mm to eets): Tray 2: 520 sheets; Custom sizes: 139.7 : 85; Tray 4: 1,130 sheets; Standard sizes: A4 or	o 297 x 431.8 mm x 182 mm to 297 x 431.8 mm; B5	
Optional	High-Capacity Feeder (HCF): 2,000 sh		62 X 241 mm	
Paper Output/ Standard Finishing Optional	Integrated Office Finisher: 500-sheet	Dual Catch Trays: 250 sheets each; Lower tray offsets Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stit		
INTUITIVE USER EXPER	· -	ee. Stapies 50 sheets		
Customise and Personalise		ne Screen by User, Multiple Home Screens with	Simple ID, Customise by Site, Function or Workflow with	
Print Drivers		Job Monitoring and Xerox® Global Print Drive	(9)	
Xerox® Embedded Web Server	PC or mobile – Status Information, Resp	oonsive Design, Settings, Device Management	, Cloning	
Preview	Preview of Scan/Fax with Zoom, Rotate,	, Add Page		
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Sta Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank P		
Scan		can to USB/Email/Network (FTP/SMB), Scan Fil earchable PDF, Single/Multi-Page PDF/XPS/TI	le Formats: PDF, PDF/A, XPS, JPEG, TIFF; FF/Password Protected PDF, Secure Scanning via SFT ^p	
Fax ³	Optional Walk-up Fax (one-line or three optional Fax Over IP	-line options available, includes LAN Fax, Direc	t Fax, Fax Forward to Email, Server Fax),	
MOBILE AND CLOUD REA	ADY			
Mobile Printing	Apple® AirPrint®4, Google Cloud Print™ F Xerox® Print Services plug-in for Androic		e Plug-in for Android™, Xerox® @printbyXerox App,	
Mobility Options	@PrintByXerox³, Xerox® Mobile Print and Visit www.xerox.com/officemobileap	d Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi E ps for available apps.	Direct Printing ⁴ , Xerox® Mobile Link App ⁶ .	
Cloud Connectors ⁵	Print from/Scan to Google Drive™, Micro	osoft® OneDrive®, Dropbox™, Microsoft Office 3	365°, Box°, Xerox° DocuShare° Platform and more	
BENCHMARK SECURITY				
Network Security	IPsec, HTTPS, encrypted email. Network	k Authentication, SNMPv3, SSL/TLS, Security C	ertificates, Automatic Self-Signed Certificate	
Device Access		nternal firewall, Port/IP/Domain Filtering, Aud erox® Integrated RFID Card Reader, Trusted Pla		
Data Protection		ption via HTTPS/IPPS submission, Encrypted h Criteria Certification (ISO 15408) (undergoing	nard disk (AES 256-bit, FIPS 140-2) and image overwrite evaluation)	
Document Security	Secure Print, Secure Fax, Secure Scan, Se	ecure Email, Password Protected PDF		
ENABLES NEXT GENERAL				
Print Management	Xerox [®] Standard Accounting; Optional : and more at xerox.com/PrintManager	: Xerox® Workplace Cloud/Suite, Nuance Equitr <mark>ment</mark> .	ac, Ysoft SafeQ, PaperCut	
Managing Print	Xerox® Device Manager, Xerox® Suppor	t Assistant App, Auto Meter Read, Managed Pr	int Services tools, Configuration Cloning	
Sustainability		g, EPEAT-verified, Print User ID on margins		
GATEWAY TO NEW POSS				
Cloud Services	-	are MFP Solution (U.S. only), CapturePoint™, mo		
Xerox App Gallery	Many apps and cloud services available to the Printer/Multifunction Printer	r. Visit www.xerox.com/AppGallery for a grow	ving selection of Xerox® apps available for adding functions	
1 Doctored print coand in accord	with 150/JEC 2/.72/. 2 Mayimayimayin val	itu avnastad in smu ana manth. Nat av+	sustained on a regular basis, 3 Dequires analog ph !:	

Declared print speed in accordance with ISO/IEC 24734. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Requires analog phone line; Visit www.apple.com for AirPrint Certification list; Optional download from Xerox App Gallery to the Printer — www.xerox.com/xeroxappgallery. Free download from the Google Play or Apple Store.

DEVICE SPECIF	ICATIONS	VersaLink C7000N	VersaLink C7000DN			
Speed ¹		Up to 35 ppm				
Monthly Duty Cycle	2	Up to 153,000 pages				
Hard Drive/Processo	r/Memory	320 GB HDD ⁵ /1.05 GHz Dual-core/2 GB memory				
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Dir	rect® with optional Wi-Fi Kit, NFC Tap-to-Pair			
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform®, Xerox App				
		Convenience Authentication Enabled, Online Support				
Copy and Print	Resolution	Up to 1200 x 2400 dpi				
First-print-out Time		As fast as 7.6 seconds colour / 5.1 seconds black-and-white				
Page Description La	nguages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™				
Paper Input	Standard	Bypass Tray: 100 sheets; Custom sizes: 88.9 x 98.4 mm to 297 x 431.8 mm Tray 1: 520 sheets; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm				
	Optional	Single Tray Module: 520 sheets; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm				
		Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5;	Custom sizes: 98 x 148 mm to 162 x 241 mm			
Paper Output/ Finishing	Standard	Catch Tray: 500 sheets, offsets				
rinishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single	e-nosition stanlina			
Automatic Two-side		NA	Standard			
INTUITIVE US			Standard			
Customise and Perso		Walkup customisation, Personalise Home Screen by User, Multiple Hom	e Screens with Simple ID. Customise by Site. Function or Workflow with			
customise una reis	01141130	Xerox App Gallery				
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®				
Embedded Web Ser	ver	PC or mobile – Status Information, Responsive Design, Settings, Device Management, Cloning				
Remote Console		Remote Control Panel				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode				
MOBILE AND C	LOUD REA					
Mobile Printing		Apple® AirPrint®³, Google Cloud Print™ Ready, Mopria® Certified, Mopria Xerox® Print Services plug-in for Android™	[®] Print Service Plug-in for Android™, Xerox® @printbyXerox App,			
Mobility Options		Xerox® Mobile Print Solution and Xerox® Mobile Print Cloud, Connect via NFC/Wi-Fi Direct Printing; Visit www.xerox.com/OfficeMobileApps for available apps.				
Cloud Connectors ⁴		Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more				
BENCHMARK S	ECURITY					
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)				
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ⁵				
Document Security		Secure Print				
ENABLES NEXT	GENERAT	ION SERVICES				
Print Management		Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement.				
		Xerox® Device Manager, Xerox® Support Assistance App, Auto Meter Read, Managed Print Services tools, Configuration Cloning				
Sustainability		Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID o	n margins			
GATEWAY TO N	IEW POSSI	BILITIES				
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/AppGa	llery for a growing selection of Xerox® apps available for adding functions			
Declared print speed	in accordance v	vith ISO/IEC 24734. ² Maximum volume capacity expected in any one month. Not	expected to be sustained on a regular basis:			

Toeclared print speed in accordance with ISO/IEC 24734. Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; Sivisit www.apple.com for AirPrint Certification list Optional download from Xerox App Gallery to the Printer — www.xerox.com/xeroxappgallery; DDD Optional

Cyan: 3,300 pages ⁶ Magenta: 3,300 pages ⁶ Yellow: 3,300 pages ⁶ High Capacity Toner Cartridges: Black: 10,700 pages ⁶ Cyan: 10,100 pages ⁶	106R03761 106R03764 106R03763 106R03762 106R03757 106R03750 106R03759	Yellow: 10,100 pages ⁶ CMYK Drum Cartridge: 82,200 pages ⁷ Waste Toner Bottle: 21,200 pages ⁷ Staple Refills for Finisher: 5,000 staples Staple Cartridge for Finisher: 5,000 staples 220V Fuser: 100,000 pages Options Single Tray Module Single Tray with Stand Module Three Tray Module Envelope Tray (Replaces Tray 1) Integrated Office Finisher HDD (320 GB Hard Drive)	106R03758 113R00782 115R00129 008R12941 008R12964 115R00137 097S04910 097S04907 097S04908 497K17720 097S04911 497K17740	Wireless Network Adapter (Wi-Fi Kit) 6 Average standard pages. Declared Yield in accordance w IEC 19798. Yield will vary based on image, area coverage print mode. 7 Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF. Configurations vary by geography.	and
--	---	---	--	---	-----

DEVICE SPECIFICATIONS	VersaLink C8000DT	VersaLink C9000DT	VersaLink C9000GX		
Speed ¹	Up to 45 ppm A4	Up to 55 ppm A4			
Monthly Duty Cycle ²	205,000 270,000				
Hard Drive/Processor/Memory	Optional 320 GB HDD/1.6 GHz/4 GB 320 GB HDD/1.6 GHz/4 GB				
Connectivity	Ethernet 10/100/1000Base-T, High-speed USB 3	3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi k	Kit, NFC Tap-to-Pair		
Controller Features	Configuration Cloning, Xerox Extensible Interfaction Convenience Authentication Enabled	ce Platform®, Xerox® App Gallery App, Xerox® Sta	ndard Accounting Tool, Role Based Permissions,		
Print Resolution	Up to 1200 x 2400 dpi				
First-print-out Time	As fast as 11 seconds colour/ 9.7 seconds black-and-white				
Page Description Languages	PCL® 5c/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL®/Add	bbe® PostScript® 3™			
Colour Management	Embedded spot colour table, Xerox Colour Corrections Embedded spot colour table with the ability to swap out PANTONE® approved colour table, Custom spot colour editor, optional Xerox® Precise Colour Management System software (standard on GX)				
Paper Input Standard	Bypass Tray: Up to 100 sheets; Custom sizes: 8 (C8000: 64 to 300 gsm; C9000: 64 to 350 gsm) Tray 1: Up to 520 sheets; Custom sizes: 100 x 14 Tray 2: Up to 520 sheets; Custom sizes: 100 x 14	48 mm to 297 x 431.8 mm (64 to 300 gsm)	t 1,320.8 mm		
	Optional		Two Tray Module: Up to 1,040 sheets; Custom sizes: 100 x 148 mm to 320 x 457.2 mr (64 to 300 gsm)		
Optional	Tandem Tray Module: Up to 2,000 sheets; A4, High Capacity Feeder: Up to 2,000 sheets; A4, Envelope Tray (replaces Tray 1): Up to 50 envel	, B5 (64 to 216 gsm)			
Paper Output/Finishing Standard	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each				
Optional					
Automatic Two-sided Printing INTUITIVE USER EXPERI	Standard FNCE	¥			
Customise and Personalise		en by User, Multiple Home Screens with Simple	ID, Customise by Site, Function or Workflow		
Print Drivers	Job Identification, Bi-directional Status, Job M	Ionitoring and Xerox® Global Print Driver®			
Embedded Web Server	PC or mobile – Status Information, Responsive	Design, Settings, Device Management, Clonin	g		
Remote Console	Remote Control Panel				
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode				
MOBILE AND CLOUD REA	DY				
Mobile Printing	Apple® AirPrint®³, Google Cloud Print™ Ready,	Xerox® Print Service and Mopria® Print Service F	Plug-ins for Android™, Xerox® @printbyXerox Ap		
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud³, Connect via NFC/Wi-Fi Direct Printing Visit www.xerox.com/officemobileapps for available apps.				
Cloud Connectors ⁴	Print from Google Drive™, Microsoft® OneDrive	e®, Dropbox™, Microsoft Office 365®, Box®, Xero	x® DocuShare® Platform and more		
BENCHMARK SECURITY					
Network Security	IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-instaled Self-signed Certificates				
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card-Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)				
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ⁵ , Encrypted Apps with Embedded Certificate Support				
Document Security	Secure Print				
ENABLES NEXT GENERAT		Washington Claud Cuita Numana Facility Visit	+ C-f-O DC-td		
Print Management	Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement.				
Managing Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins, EPEAT-verified				
Sustainability GATEWAY TO NEW POSSI	. 55	User ID on margins, EPEAT-verified			
Xerox App Gallery		www.xerox.com/appgallery for a growing sele	ction of Xerox® apps available		
1 Doctored print speed in accordance w	ith ISO/IEC 3/73/, 2 Maximum valuma sanasitu ovneste	d :			

¹ Declared print speed in accordance with ISO/IEC 24734. ² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ³ Visit **www.apple.com** for AirPrint Certification list ⁴ Optional download from Xerox App Gallery to the Printer — **www.xerox.com/xeroxappgallery**; ⁵ HDD required for image overwrite.

Certifications		Standard Capacity Toner Cartridges for C9000:		IBT Cleaner: Up to 160,000 pages ^{7/8}	104R00256
To view the latest list of certifications, go to		Black: 18,900 pages ⁶	106R04069	Transfer Roller: Up to 200,000 pages ^{7/8}	116R00015
www.xerox.com/OfficeCertifications.		Cyan: 12,300 pages ⁶	106R04066	Options	
Supplies		Magenta: 12,300 pages ⁶	106R04067	Xerox® Precise Colour Management System	
Standard Capacity Toner Cartridges for C80	00:	Yellow: 12,300 pages ⁶	106R04068	software for C9000DT (standard on GX)	097S04974
Black: 12,600 pages ⁶	106R04041	High Capacity Toner Cartridges for C9000:		Two Tray Module	097S04969
Cyan: 7,600 pages ⁶	106R04038	Black: 31,400 pages ⁶	106R04081	Tandem Tray Module	097S04970
Magenta: 7,600 pages ⁶	106R04039	Cyan: 26,500 pages ⁶	106R04078	High Capacity Feeder	097S04845
Yellow: 7,600 pages ⁶	106R04040	Magenta: 26,500 pages ⁶	106R04079	Envelope Tray (Replaces Tray 1)	497K17880
. 1 5	100110 10 10	Yellow: 26,500 pages ⁶	106R04080	Office Finisher	097504848
High Capacity Toner Cartridges for C8000:	100004053	Routine Maintenance Items:		2/4 Hole Punch for Office Finisher	497K03870
Black: 20,900 pages ⁶	106R04053	Drum Cartridge: 190,000 pages each colour ⁷	/8/	Booklet Maker for Office Finisher	497K03852
Cyan: 16,500 pages ⁶	106R04050	190,000 pages black ⁷	101R00602	Booklet Maker Finisher with 2/4 Hole Punch	097S04982
Magenta: 16,500 pages ⁶	106R04051	Waste Cartridge: Up to 47,000 pages ⁷	108R01504	HDD (320 GB Hard Drive for C8000)	097S04971
Yellow: 16,500 pages ⁶	106R04052	Tradic cartrage. Op to 17,000 pages	1001101304	Wireless Network Adapter (Wi-Fi Kit)	497K16750

⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

Configurations vary by geographical location.

For more detailed specifications, go to www.xerox.com/C8000PrinterSpecs or www.xerox.com/C9000PrinterSpecs.

⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.

⁸ Replacement normally not required during product lifetime.

XEROX® VERSALINK® C7020/C7025/C7030 COLOUR MULTIFUNCTION PRINTER

DEVICE SPECIFIC	ATIONS	V1:-1-67020	Viscolital C702F	V1:-1: 67020		
DEVICE SPECIFIC	ATTONS	VersaLink C7020	VersaLink C7025	VersaLink C7030		
Speed ¹		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm		
Monthly Duty Cycle ²		Up to 87,000 pages	Up to 107,000 pages	Up to 129,000 pages		
Hard Drive/Processor/N	Memory	320 GB HDD6/1.05 GHz Dual-core/4 GB memory	A.W. 5:8 1W. 5: D	(III NECT - I D I		
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3				
Controller Features		Unified Address Book, Configuration Cloning, Sco Accounting Tool, Role Based Permissions, Conver	nience Authentication Enabled, Online Support	, Xerox® App Gallery App, Xerox® Standard		
	Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 24	•			
First-copy-out Time (as	s fast as)	As fast as 9.0 seconds colour/6.9 seconds black-a	As fast as 7.2 seconds colour/ 5.8 seconds black-and-white			
First-print-out Time		As fast as 9.4 seconds colour/7.2 seconds black-and-white	As fast as 9.4 seconds colour/7.1 seconds black-and-white	As fast as 7.3 seconds colour/ 5.6 seconds black-and-white		
Page Description Lang	uages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/option	nal Adobe® PostScript® 3™			
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode				
Paper Input	Standard	Duplex Automatic Document Feeder (DADF): Custom sizes (simplex): 125 x 85 mm to 297 x 43°		duplex): 125 x 110 mm to 297 x 431.8 mm;		
		Bypass Tray: 100 sheets; Custom sizes: 88.9 x 98 Tray 1: 520 sheets; Custom sizes: 139.7 x 182 mm				
	Optional					
	Ориона	Single Tray Module: 520 sheets; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm High-Capacity Tandem Tray (2,520 sheets): Tray 2: 520 sheets; Custom sizes: 139.7 x 182 mm to 297 x 431.8 mm; Tray 3: 870 sheets; Standard sizes: A4 or B5; Tray 4: 1,130 sheets; Standard sizes: A4 or B5				
	Optional	Optional Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 98 x 148 mm to 162 x 241 mm High-Capacity Feeder (HCF): 2,000 sheets; Standard sizes: A4 or B5				
Paper Output/	Standard	Dual Catch Tray 6: 250 sheets each; Lower tray	offsets			
Finishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler with Work Surface: Staples 50 sheets				
INTUITIVE USER	REXPERI	•				
Customise and Person	alise	Walkup customisation, Personalise Home Screen Xerox App Gallery	by User, Multiple Home Screens with Simple ID,	Customise by Site and Function or Workflow with		
Print Drivers		Job Identification, Bi-directional Status, Job Mon	itoring and Xerox® Global Print Driver®			
Embedded Web Server	r	PC or mobile – Status Information, Responsive Design, Settings, Device Management, Cloning				
Remote Console		Remote Control Panel				
Preview		Preview of Scan/Fax with Zoom, Rotate, Add Page				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode				
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF				
Fax		Optional Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), optional Fax Over IP				
MOBILE AND CLO	OUD REA	DY				
Mobile Printing		Apple® AirPrint®4, Google Cloud Print™ Ready, Mc Xerox® Print Services plug-in for Android™	opria® Certified, Mopria® Print Services plug-in fo	or Android™, Xerox® @printbyXerox App,		
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud, Connect via NFC/Wi-Fi Direct Printing, Xerox® Mobile Link App. Visit www.xerox.com/OfficeMobileApps for available apps.				
Cloud Connectors ⁵		Print from/Scan to Google Drive™, Microsoft® On	eDrive®, Dropbox™, Microsoft Office 365®, Box®,	Xerox® DocuShare and more		
BENCHMARK SEC	URITY					
Network Security		IPsec, HTTPS, encrypted email. Network Authent	tication, SNMPv3, SSL/TLS, Security Certificates,	Automatic Self-Signed Certificate		
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)				
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation)				
Document Security		Secure Print, Secure Fax, Secure Scan, Secure Em	ail, Password Protected PDF			
ENABLES NEXT (S E N E R A T	ION SERVICES				
Print Management		Xerox® Standard Accounting Tool, Optional : Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at www.xerox.com/PrintManagement.				
Managing Print		Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter Read, Managed Print Services tools, Configuration Cloning				
Sustainability		Cisco EnergyWise®, Earth Smart Printing, EPEAT-v	verified, Print User ID on margins			
GATEWAY TO NE	W POSSI					
Cloud Services		Xerox® Easy Translator, Xerox® Healthcare MFP S				
Xerox App Gallery		Many apps and cloud services available. Visit ww				
1 Declared print speed in .	accordance u	ith ISO/IEC 24734 2 Maximum volume canacity expects	and the second contracts. Next according to the exception of an			

¹ Declared print speed in accordance with ISO/IEC 24734, ² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ³ Requires analog phone line; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Optional download from Xerox App Gallery to the Printer — www.xerox.com/XeroxAppGallery; ⁶ HDD and Dual Catch Tray are optional on Desktop model.

2019 Summer Pick Awards



XEROX® VERSALINK® C8000DT

Outstanding Tabliod Colour Printer for Large Workgroups

2019 Article 2019 Certificate



XEROX® VERSALINK® C9000DT

Outstanding Tabloid Colour Printer for Enterprise Environments

2019 Article 2019 Certificate

2018 Winter Pick Awards



XEROX® VERSALINK® C505

Outstanding Colour Multifunction Printer for Mid-Size Workgroups

2018 Article 2018 Certificate



XEROX® VERSALINK® C7025

Outstanding 25-ppm Colour Copier MFP

2018 Article 2018 Certificate

2018 BLI Winter Pick Awards for Exceptional

XEROX® VERSALINK® C500

Colour Printers and MFPs

2018 BLI Winter Pick

Awards for Exceptional

Outstanding Colour Printer for Mid-Size Workgroups Award Flyer

XEROX® VERSALINK® C600

Outstanding Colour Printer for Large Workgroups **Award Flyer**

XEROX® VERSALINK® C7000

Outstanding Tabloid Colour Printer for Mid-Size Workgroups Award Flyer

Copier MFPs თ

XEROX® VERSALINK® B7025/B7035

Outstanding 25-ppm and 35-ppm Copier MFPs **Award Flyer**

XEROX® VERSALINK® C7020

Outstanding 20-ppm Colour Copier MFP **Award Flyer**

2018 Winter Pick Award for Exceptional Monochrome Printer and MFP CO

XEROX® VERSALINK® B600/B605 **Award Flyer**

2017 Summer Pick Awards



XEROX® VERSALINK B400

Outstanding Printer for Mid-Size Workgroups

2017 Article 2017 Certificate



XEROX® VERSALINK C400

Outstanding Colour Printer for Mid-Size Workgroups

2017 Article 2017 Certificate



XEROX® VERSALINK C405

Outstanding Colour Multifunction Printer for Mid-Size Workgroups

2017 Article 2017 Certificate

2018 Better Buys for **Business Innovative** Product of the Year Award

XEROX® VERSALINK® B7025/B7030/B7035 Black-and-white MFP category

2018 Better Buys for Business Editor's Choice Award 🗇

<u>Award Flyer</u>

XEROX® VERSALINK® C505 <u>Award Flyer</u>

2017 Better Buys for Business Editor's Choice Awards 🗇

XEROX® VERSALINK® B400/B405 Award Flyer

XEROX® VERSALINK® B7025/B7030/B7035 Award Flyer

XEROX® VERSALINK® C400/C405 **Award Flyer**

Awards

2017 - 2018 BLI PaceSetter Awards



DOCUMENT IMAGING SECURITY CATEGORY

2017 Article 2017 Certificate



MOBILE PRINT CATEGORY

2017 Article 2017 Certificate



MFP PLATFORMS AND APP ECOSYSTEMS CATEGORY

2017 Article 2017 Certificate



2014, 2015, 2016 AND 2017 BLI DOCUMENT IMAGING SOFTWARE LINE OF THE YEAR

2017 Article 2017 Certificate



XEROX® CONNECTKEY® TECHNOLOGY

Outstanding Achievement in Innovation, Summer 2016

2016 Article 2016 Certificate



XEROX® EASY TRANSLATOR SERVICE

Outstanding Achievement in Innovation, Summer 2016

2016 Article 2016 Certificate



XEROX® APP STUDIO

Outstanding Achievement in Innovation, 2015

2015 Article 2015 Certificate

Read more about our award winning products and solutions in our **Awards Brochure**.

For more information visit us at www.connectkey.com.

